



Karofi 8 & 10 Stage Reverse Osmosis



Product Catalogue

KAROFI 8 STAGE SLIM RO

KAQ-U05/S-S02

SPECIFICATIONS

PPD-PPD-CTO-RO100

**Korea-Post-Carbon,
Farinfrared,Mineral,Nanosilver**

Housing: Double-oring,white

Pump: Radian 8369T

Adaptor: 24V 2 pin E

Tank: Plastic 3.2G

Faucet: Standard Metal

Shutoff: Solenoid valve

Fittings: Quick

Carton: Standard brown, Drain Valve

KAROFI 10 STAGE SLIM RO

KAQ-U05/S-S03

SPECIFICATIONS

PPD-PPD-CTO-QC

RO100USA-Combo-T33-Far

Infrared-Toumaline-Hydrogen-Nano

Housing: Standard 2-oring,white

Pump: Radian 8369T

Adaptor: 24V 2 pin E

Tank: Karofi plastic tank 4G

Faucet: Standard Metal

Shutoff: Solenoid valve

Fittings: Quick

Carton: Standard brown, Drain Valve



+27 62 375 5088



+27 65 321 5803



<https://www.thewatersolarcompany.co.za/>



<https://maps.app.goo.gl/MBR2LMW3T6f9TtHV9>



<https://www.facebook.com/watersolarcompany>



<https://www.youtube.com/@TheWaterSolarCompany/>



<https://www.instagram.com/watersolarcompany2023/>